

Safety Data Sheet

Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name • **Cafe' Clean™**

Synonyms

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s) • Cleaner

1.3 Details of the supplier of the safety data sheet

Manufacturer • Purdy Products Company

1255 Karl Court
Wauconda, IL 60084
United States
www.purdyproducts.com
info@purdyproducts.com

Telephone (General) • (847) 526-5505

1.4 Emergency telephone number

ChemTrec (24 hour) (800) 424-9300

Section 2: Hazards Identification

EU/EEC

According to: Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]

According to: EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

2.1 Classification of the substance or mixture

CLP • Skin Irritation 2 - H315
Eye Irritation 2 - H319
STOT SE 3 - H335

DSD/DPD • Irritant (Xi)
R36/38

2.2 Label Elements

CLP **WARNING**



Hazard statements • H315 - Causes skin irritation
H319 - Causes serious eye irritation
H334 - May cause respiratory irritation.

Precautionary statements

Prevention • P264 - Wash thoroughly after handling.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response • P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P362 - Take off contaminated clothing and wash before reuse.
P321 - Specific treatment, see supplemental first aid information.
P332+P313 - If skin irritation occurs: Get medical advice/attention.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention.

DSD/DPD



Risk phrases • R36/38 - Irritating to eyes and skin.

Safety phrases • S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

2.3 Other Hazards

CLP • According to Regulation (EC) No. 1272/2008 (CLP) this material is considered hazardous.

DSD/DPD • According to European Directive 1999/45/EC this material is considered dangerous.

United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

OSHA HCS 2012 Skin Irritation 2
Eye Irritation 2A
May cause respiratory irritation

2.2 Label elements

OSHA HCS 2012

WARNING



Hazard statements • Causes skin irritation
Causes serious eye irritation

Precautionary statements

Prevention • Wash thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.

Response • If on skin: Wash with plenty of water .
Take off contaminated clothing and wash before reuse.
Specific treatment, see supplemental first aid information.
If skin irritation occurs: Get medical advice/attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

2.3 Other hazards

OSHA HCS 2012 • Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Canada

According to: WHMIS

2.1 Classification of the substance or mixture

WHMIS • Corrosive - E

2.2 Label elements

WHMIS



- Corrosive - E

2.3 Other hazards

WHMIS

- In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

Section 3 - Composition/Information on Ingredients

3.1 Substances

- Material does not meet the criteria of a substance.

3.2 Mixtures

Composition		
Chemical Name	Identifiers	%
Sodium Carbonate Peroxyhydrate	CAS: 15630-89-4	20 - 35%
Sodium Carbonate	CAS: 497-19-8	10 - 20%
Sodium Metasilicate pentahydrate	CAS:10213-79-3	15 - 25%
Postassium Carbonate	CAS:6834-92-0	30 - 45%
Dodecylbenzenesulfonic acid, sodium salt	CAS:25155-30-0	0.5 - 1.5%

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret.

See Section 16 for full text of H-statements and R-phrases.

Section 4 - First Aid Measures

4.1 Description of first aid measures

- | | |
|-------------------|---|
| Inhalation | <ul style="list-style-type: none">• Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. Get medical attention if symptoms occur. |
| Skin | <ul style="list-style-type: none">• In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Take off contaminated clothing and wash before reuse. If irritation develops and persists, get medical attention. |
| Eye | <ul style="list-style-type: none">• In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. If eye irritation persists: Get medical advice/attention. |
| Ingestion | <ul style="list-style-type: none">• Dilute by giving 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get medical attention if symptoms occur. |

4.2 Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

- | | |
|---------------------------|--|
| Notes to Physician | <ul style="list-style-type: none">• All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred. |
|---------------------------|--|

Section 5 - Firefighting Measures

5.1 Extinguishing media

- | | |
|---------------------------------------|--|
| Suitable Extinguishing Media | <ul style="list-style-type: none">• LARGE FIRES: Water spray or fog. |
| Unsuitable Extinguishing Media | <ul style="list-style-type: none">• No data available |

5.2 Special hazards arising from the substance or mixture

- | | |
|---|---|
| Unusual Fire and Explosion Hazards | <ul style="list-style-type: none">• Decomposition of Sodium Perborate liberates heat and oxygen which may intensify fire in combustible surroundings. |
| Hazardous Combustion Products | <ul style="list-style-type: none">• Heated to decomposition it will emit fumes of sodium oxide. |

5.3 Advice for firefighters

- Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

- | | |
|-----------------------------|---|
| Personal Precautions | <ul style="list-style-type: none">• Ventilate enclosed areas. Do not walk through spilled material. Wear appropriate personal protective equipment, avoid direct contact. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. |
| Emergency Procedures | <ul style="list-style-type: none">• ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stay upwind. Keep out of low areas. Keep unauthorized personnel away. |

6.2 Environmental precautions

- Avoid run off to waterways and sewers.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures

- Stop leak if you can do it without risk. Avoid generating dust. Carefully shovel or sweep up spilled material and place in suitable container. Cover powder spill with plastic sheet or tarp to minimize spreading.

6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Handling

- Use only with adequate ventilation. Use good safety and industrial hygiene practices. Wear appropriate personal protective equipment, avoid direct contact. Avoid breathing dust. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

7.2 Conditions for safe storage, including any incompatibilities

Storage

- Store in a cool, dry place. Store away from acids.

7.3 Specific end use(s)

- Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits/Guidelines

- There are no applicable exposure limits available for the ingredients or material.

8.2 Exposure controls

Engineering Measures/Controls

- Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values. Ensure that dust handling systems (such as exhaust ducts, dust collectors, vessels and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is not leakage from the equipment).

Personal Protective Equipment

Respiratory

- In case of insufficient ventilation, wear suitable respiratory equipment.

Eye/Face

- Wear safety glasses.

Skin/Body

- Wear appropriate gloves.

Environmental Exposure Controls

- Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways. Follow best practice for site management and disposal of waste.

Section 9 - Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

Material Description			
Physical Form	Solid	Appearance/Description	White granular powder with no odor.
Color	White	Odor	Odorless
Odor Threshold	Data lacking		

General Properties

Boiling Point	Data lacking	Melting Point	Data lacking
Decomposition Temperature	Data lacking	pH	Data lacking
Specific Gravity/Relative Density	Data lacking	Water Solubility	Soluble 100 %
Viscosity	Data lacking	Explosive Properties	Data lacking
Oxidizing Properties:	Data lacking		

Volatility

Vapor Pressure	Data lacking	Vapor Density	1 to 1.2 Air=1
Evaporation Rate	Data lacking	VOC (Wt.)	0 %
VOC (Vol.)	0 %		

Flammability

Flash Point	Data lacking	UEL	Data lacking
LEL	Data lacking	Autoignition	Data lacking
Flammability (solid, gas)	Data lacking		

Environmental

Octanol/Water Partition coefficient	Data lacking		
-------------------------------------	--------------	--	--

9.2 Other Information

- No additional physical and chemical parameters noted.

Section 10: Stability and Reactivity

10.1 Reactivity

- No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

- Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions

- Hazardous polymerization will not occur.

10.4 Conditions to avoid

- Excess heat. Incompatible materials.

10.5 Incompatible materials

- Aluminum powder, Acids, Fluorine, Molten Lithium.

10.6 Hazardous decomposition products

- Reacts with acids with release of carbon dioxide and heat.

Section 11 - Toxicological Information

11.1 Information on toxicological effects

Components		
Sodium Metasilicate pentahydrate (15-25%)	10213-79-3	Acute Toxicity: Ingestion/Oral-Rat LD50 • 1153 mg/kg; <i>Gastrointestinal:Ulceration or bleeding from stomach; Gastrointestinal:Ulceration or bleeding from dlodenum; Gastrointestinal:Ulceration or bleeding from small intestine;</i> Irritation: Skin-Human • 250 mg 24 Hour(s) • Severe irritation
		Acute Toxicity: Ingestion/Oral-Rat LD50 • 4090 mg/kg; Inhalation-Rat LC50 • 2300 mg/m³ 2 Hour (s); <i>Lungs, Thorax, or Respiration:Dyspnea; Gastrointestinal:Other changes;</i>

Sodium Carbonate (10 - 20%)	497-19-8	Irritation: Eye-Rabbit • 50 mg • Severe irritation; Skin-Rabbit • 500 mg 24 Hour(s) • Mild irritation; Multi-dose Toxicity: Inhalation-Rat TCLo • 16.2 mg/m³ 16 Week(s)-Intermittent; <i>Sense Organs and Special Senses:</i> Olfaction: Change in sensation of smell ; <i>Lungs, Thorax, or Respiration:</i> Emphysema ; <i>Immunological Including Allergic:</i> Decrease in cellular immune response
Potassium Carbonate (30-45%)	6834-92-0	Acute Tox. 4, H302; Eye Irrit. 2A, H319; Skin Irrit. 2, H315
Sodium Carbonate Peroxyhydrate (< 2.9%)	15630-89-4	Acute Toxicity: Eye-Rabbit TDLo • 25 mg/kg; <i>Sense Organs and Special Senses:</i> Eye: Conjunctive irritation ; <i>Sense Organs and Special Senses:</i> Eye: Corneal damage ; <i>Sense Organs and Special Senses:</i> Eye: Other ; Ingestion/Oral-Rat LD50 • 2400 mg/kg; <i>Behavioral:</i> Somnolence (general depressed activity) ; <i>Lungs, Thorax, or Respiration:</i> Dyspnea
Dodecylbenzenesulfonic acid, sodium salt (0.5 - 1.5%)	25155-30-0	Acute Toxicity: Ingestion/Oral-Rat LD50 • 438 mg/kg; <i>Sense Organs and Special Senses:</i> Eye: Lacrimation ; <i>Behavioral:</i> Somnolence (general depressed activity) ; <i>Gastrointestinal:</i> Hypermotility, diarrhea ; Irritation: Eye-Rabbit • 250 µg 24 Hour(s) • Severe irritation; Skin-Rabbit • 20 mg 24 Hour(s) • Moderate irritation; Multi-dose Toxicity: Ingestion/Oral-Mouse TDLo • 5 g/kg 30 Day(s)-Intermittent; <i>Related to Chronic Data:</i> Death in the Other Multiple Dose data type field

GHS Properties	Classification
Acute toxicity	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
Aspiration Hazard	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
Carcinogenicity	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
Germ Cell Mutagenicity	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
Skin corrosion/Irritation	EU/CLP • Skin Irritation 2 OSHA HCS 2012 • Skin Irritation 2
Skin sensitization	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
STOT-RE	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
STOT-SE	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
Toxicity for Reproduction	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
Respiratory sensitization	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking

Potential Health Effects

Inhalation

- Acute (Immediate)**
 - Nuisance dust may affect the lungs but reactions are typically reversible.
- Chronic (Delayed)**
 - No data available.

Skin

- Acute (Immediate)**
 - Causes skin irritation.
- Chronic (Delayed)**
 - No data available.

Eye

- Acute (Immediate)**
 - Causes serious eye irritation. Excessive concentrations of nuisance dust in the workplace may reduce visibility and may cause unpleasant deposits in eyes.
- Chronic (Delayed)**
 - No data available.

Ingestion

- Acute (Immediate)**
 - Excessive concentrations of nuisance dust in the workplace may cause mechanical irritation to mucous membranes.
- Chronic (Delayed)**
 - No data available.

Key to abbreviations

LD = Lethal Dose

TC = Toxic Concentration

TD = Toxic Dose

Section 12 - Ecological Information

12.1 Toxicity

- Material data lacking.

12.2 Persistence and degradability

- Material data lacking.

12.3 Bioaccumulative potential

- Material data lacking.

12.4 Mobility in Soil

- Material data lacking.

12.5 Results of PBT and vPvB assessment

- No PBT and vPvB assessment has been conducted.

12.6 Other adverse effects

- No studies have been found.

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Product waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	NDA	Not Regulated	NDA	NDA	NDA
TDG	NDA	Not Regulated	NDA	NDA	NDA
IMO/IMDG	NDA	Not Regulated	NDA	NDA	NDA
IATA/ICAO	NDA	Not Regulated	NDA	NDA	NDA

14.6 Special precautions for user • None specified.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code • Data lacking.

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • Acute

State Right To Know				
Component	CAS	MA	NJ	PA
Carbonic acid, disodium salt, compd. with hydrogen peroxide (2:3)	15630-89-4	No	No	No
Dodecylbenzenesulfonic acid, sodium salt	25155-30-0	Yes	Yes	Yes
Silicic acid (H ₂ SiO ₃), disodium salt	6834-92-0	No	No	No
Sodium carbonate (2:1)	497-19-8	No	No	No
Sodium sulfate	7757-82-6	Yes	No	Yes
Proprietary	Proprietary	Yes	No	Yes

Section 16 - Other Information

Relevant Phrases (code & full text)

- H272 - May intensify fire; oxidizer
- H302 - Harmful if swallowed
- H314 - Causes severe skin burns and eye damage.
- H335 - May cause respiratory irritation
- R8 - Contact with combustible material may cause fire.
- R22 - Harmful if swallowed.
- R34 - Causes burns.
- R36 - Irritating to eyes.
- R37 - Irritating to respiratory system.
- R38 - Irritating to skin.

Last Revision Date

- 05/January/2021

Preparation Date

- 01/December/2020

Disclaimer/Statement of Liability

- Purdy Products Company makes warranty, representation or guarantee as to the accuracy, sufficiency or completeness of the material set forth herein. It is the user's responsibility to determine the safety, toxicity and suitability of his own use, handling and disposal of this product. Since actual use by others is beyond our control, no warranty, expressed or implied, is made by Purdy Products Company as to the effects of such use, the results to be obtained or the safety and toxicity of this product, nor does Purdy Products Company assume any liability arising out of the use by others of this product referred to herein. The data in this SDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. Purdy Products Company does not recommend blending this product with any other chemical contained herein concerning this product are based upon information available at the time of writing from recognized technical sources.

Key to abbreviations

NDA = No Data Available